

University of Groningen

Spin and charge transport in a gated two dimensional electron gas

Lerescu, Alexandru Ionut

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2007

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Lerescu, A. I. (2007). *Spin and charge transport in a gated two dimensional electron gas*. [Thesis fully internal (DIV), University of Groningen]. [s.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Acknowledgments

The work presented in this thesis was carried out in the group of Nanodevices at the University of Groningen, The Netherlands between September 2002 and February 2007. A lot of people contributed to it, directly or indirectly. This is the part where my thanks are presented and where everybody's help, lasting or not, is sincerely acknowledged.

Bart, thank you for letting me be witness to your critical approach to any problem as well as your deep physical insight and intuition. These remarkable features, which were taken for granted while in Groningen, came to be appreciated to the full extent now that I am away. You have a pure way of doing science and working with you shaped myself for trying to do the same.

Caspar, thank you for letting me see what 'golden hands' means and for your tact in dealing with my intrinsic sloppiness. I saw what planning and executing an experiment means and I will also try to be as perfectionist and precise as you are.

My special thanks go to the reading committee, Andreas Wieck, Yuli Nazarov and Junsaku Nitta for helping me shape this thesis in the present form.

Besides the supervisors, I have a lot to learn from the people I have worked with. Chronologically, I owe Takashi Manago my sincere thanks for his calm and large experimental knowledge which was extremely useful in starting up the experiments with the 2DEGs. I am indebted to Marc van Veenhuizen for his enthusiasm, working power and huge knowledge of physics and math, which are put to good use in his PhD at MIT. In the last years Erik Koop, fellow PhD student, showed me that two heads are always better than one and help me

understand the concept of team. Thank you for that.

Besides the scientific environment, my everyday life at work was made easier by the two always young 'technical support' of our group Bernard Wolfs and Siemon Bakker. Also, ever wanting to help were Gert ten Brinke, Pim van den Dool, Wiger Jonker. Renate Hekkema-Nieborg and Sonja Groot: thanks for taking care of the administrative work over the years and thanks Sonja for all the extra work related with my thesis.

Thanks to my office mates Michele and Eek, for the time we spent discussing about data, wisdom or anything else. My warm thanks go to all the members of the group of Nanodevices, present at one time or another in Groningen: Mihai, Csaba, Nikos, Marius C., Marius T., Ji, Julie, Sense Jan, Diana D. and Steve. Thank you all.